

1210	<local computer information>	
	computer_name	= "org5"
	domain_name	= "bugwheat2"
	virtualip_address	= "10.0.11.130"
	visibleip_address	= "208.185.39.2"
	firewall_in_place	= "no"
	network_config	= "Inline"
	dns_from_dhcp	= "no"
	dns_primary	= "10.10.10.2"
	dns_secondary	= "10.10.10.3"
1212	Proxylp	= "208.185.40.2"
	</local computer information>	
	<local interface information>	
	name	= "eth0"
	mac_layer_address	= "00:90:27:EE:02:3B"
	local_IP_address	= "208.185.39.2"
	gateway	= "208.185.39.1"
1214	subnet_mask	= "255.255.255.0"
	dhcp	= "none"
	</local interface information>	
	<local LAN Information><address range>	
	startip_address_range	= "208.185.49.1"
	endip_address_range	= "208.185.49.255"
1216	type	= "included"
	gateway	= ""
	</address range> </local LAN Information>	
	<cryptographic key>	
	kind	= "PublicKey"
1218	type	= "NOC's Primary Key"
	format	= "RSA"
	encryption	= "3DES"
	modulus	= "0x ... 01"
	modulus_bits	= "1024"
	public_exp	= "0x03"
	</cryptographic key>	
	<firewall rule>	
1218	protocol	= "tcp"
	direction	= "in"
	src_ip_mask	= "\$any"
	src_port	= "1024:65535"
	dst_ip_mask	= "\$1"
	dst_port	= "21"
	action	= "ACCEPT"
1218	rule_number	= "1"
	</firewall rule>	

FIG. 12




FIG. 13




FIG. 14